	Application No.	Applicant(s)
Notice of Allowability	09/664,085	BENNETT ET AL.
	Examiner	Art Unit
	Doug Hutton	2179
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the petition filed on 19 November 2004 and the resulting Request for Continued Examination.		
2.  The allowed claim(s) is/are <u>1-39,41,44-46,48,49 and 51-55</u> .		
3.  The drawings filed on 18 September 2000 are accepted by the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the</li> </ul>		
attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 Magazitation of B	A
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		atent Application (PTO-152)
	Paper No./Mail Dat	te
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	8), 7. \(\simex\) Examiner's Amenda	nent/Comment
4.   Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9.	

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Natan Epstein on 12 April 2005.

The application has been amended as follows:

## In the Claims:

- replace Claim 46 with the following:
  - 46. A hinge for an orthopedic splint, comprising:

an upper plate and a lower plate connected for pivotal movement, a detent element supported on one of said plates and displaceable into and out of an engaged condition thereby to tock the two plates against said pivotal movement in a selected angular relationship relative to each other, and a spring normally urging said detent element into said engagement;

said detent element being shaped, arranged, and configured relative to a top surface on said one of said plates such as to substantially prevent retraction of said detent element from said engaged condition with a person's unaided hand; and

Application/Control Number: 09/664,085

Art Unit: 2179

a finger hold element removably engageable with said detent element for assisting a therapist in disengaging said detent element against urging of said spring and is removable for discouraging actuation of said detent element by a patient fitted with said orthopedic splint, said finger hold element being also engageable with said one said plate for retaining said detent element out of said engaged condition.

- > cancel Claim 47; and
- in Claim 48, Line 1 → amend the phrase "Claims 46 or 47" to Claim 46 —.

## Allowable Subject Matter

Claims 1-39, 41, 44-46, 48, 49 and 51-55 are allowed.

The following is an examiner's statement of reasons for allowance:

Claims 1-39, 41, 44-46, 48, 49 and 51-55:

These claims are allowable, as evidenced in the file wrapper.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 2179

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Doug Hutton whose telephone number is (571) 272-4137. The examiner can normally be reached on Monday-Friday from 8:00 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tony Knight, can be reached at (571) 272-3687. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-2100.

WDH April 13, 2005

Anthony Knight
Supervisory Patent Examiner
Group 3600

hout it for